L Number	Hits		DB	Time stamp
-	506		USPAT;	2002/05/20 14:08
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	j
-	0		USPAT;	2002/05/14 18:04
		(identifi\$2 and classifi\$7)same (frame\$1	US-PGPUB;	
		or segment\$1 or portion\$1))	EPO; JPO;	
			DERWENT;	
_	8	((video near2 stream)same (identifi\$2 and	IBM_TDB USPAT;	2002/05/14 10:02
_	"	classifi\$7)same (frame\$1 or segment\$1 or	US-PGPUB;	2002/05/14 18:02
		portion\$1))	EPO; JPO;	
		<u></u>	DERWENT;	
			IBM TDB	
_	1	Mcgee.inv. and (video near2 stream)	USPAT;	2002/05/14 18:03
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		705/00 01 07 405 00 15	IBM_TDB	
-	1	725/32,34,87,136,38,46.ccls. and ((video	USPAT;	2002/05/14 18:10
		near2 stream)same classifi\$6)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	28	((video near2 stream)same ((header or ID	USPAT;	2002/05/14 18:22
		or identifi\$)same(sort\$5 or classifi\$7)))	US-PGPUB;	2002/03/14 10.22
	İ	, in 100101114, 50010 (501240 OI 010001114, 777)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	36	725/32,34,87,136,38,46.ccls. and ((video	USPAT;	2002/05/14 18:33
		near2 stream)same (header or ID or	US-PGPUB;	
		identifi\$))	EPO; JPO;	
		·	DERWENT;	
	2.5	4705 430 34 07 136 30 46 3	IBM_TDB	
_	35	(725/32,34,87,136,38,46.ccls. and ((video near2 stream)same (header or ID or	USPAT;	2002/05/14 18:33
		identifis))) not (((video near2	US-PGPUB; EPO; JPO;	
		stream)same ((header or ID or	DERWENT;	
		<pre>identifi\$) same (sort\$5 or classifi\$7))))</pre>	IBM TDB	
-	96	story near2 segment\$5	USPAT;	2002/05/14 19:48
		_	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	5	(story near2 segment\$5) same ((identif\$7	USPAT;	2002/05/14 19:50
		or recogniz\$5) and (classifi\$5 or sort\$4))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	2	5635982.pn.	USPAT;	2002/05/14 20:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6137544.pn.	USPAT;	2002/05/15 12:04
			US-PGPUB;	
]			EPO; JPO;	
			DERWENT;	
_	755	Young inv	IBM_TDB USPAT;	2002/05/15 12:04
_	/55	Yeung.inv.	USPAT; US-PGPUB;	2002/05/15 12:04
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	Yeung.inv. and (story near4 segment\$5)	USPAT;	2002/05/15 12:06
		-	US-PGPUB;	
	1		EPO; JPO;	
		• • •	DERWENT;	.
1	1		IBM TDB	. 1

			·	
_	5	Yeung.inv. and (key near2 frame\$1)	USPAT;	2002/05/15 12:14
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	237	725/9,14,19,35.ccls.	USPĀT;	2002/05/15 12:16
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	l
l _	ا ۱	725/9,14,19,35.ccls.and ((story near3	<pre>IBM_TDB USPAT;</pre>	2002/05/15 12:27
		segment\$7)and (key near2 frame\$1))	US-PGPUB;	2002/03/13 12.27
	1	cogmono,, and (not noute transfit)	EPO; JPO;	
İ			DERWENT:	1
Į.			IBM_TDB	9
-	. 2	dimitrova.inv. and (story near2 segment\$7)	USPAT;	2002/05/15 12:18
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	4	((audio and text) near2 stream\$1) with	USPAT;	2002/05/16 19:00
		convert\$4	US-PGPUB;	2002,00,10 15.00
]		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	909	(audio and text) with convert\$4	USPAT;	2002/05/16 19:01
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	lol	((audio and text) with convert\$4)same	USPAT;	2002/05/16 19:03
		(story near2 segment\$7)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1		//	IBM_TDB	2000/05/16 10 10
_	66	((audio and text) with convert\$4).same retriev\$6	USPAT;	2002/05/16 19:10
		retrievso	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	7	((audio and text) with convert\$4)same	USPĀT;	2002/05/16 19:04
		retriev\$6 same (segment\$6 or keyframes or	US-PGPUB;	
		(key near2 frame\$1))	EPO; JPO;	
			DERWENT;	
_	16	((audio and text) with convert(4) come	IBM_TDB	2002/05/16 10:16
1	16	((audio and text) with convert\$4)same (classifi\$7)	USPAT; US-PGPUB;	2002/05/16 19:16
		(020002277)	EPO; JPO;	
			DERWENT;	
	[IBM_TDB	
-	0	retriev\$3 same classifi\$7 same filter\$3	USPĀT;	2002/05/16 19:18
		same segment\$7 same display	US-PGPUB;	
1			EPO; JPO;	
			DERWENT; IBM TDB	
_	71	retriev\$3 same classifi\$7 same filter\$3	USPAT;	2002/05/16 19:18
	1 '1		US-PGPUB;	2502,05,10 19.10
			EPO; JPO;	
1		<u>.</u>	DERWENT;	
		·	IBM_TDB	
-	3	, , - , - , - , -	USPĀT;	2002/05/16 19:21
1	ļ	same display	US-PGPUB;	
	}		EPO; JPO;	
1			DERWENT;	
_	7	(parse\$3 or partition\$4 or identifi\$3)	IBM_TDB USPAT;	2002/05/16 19:23
	1	same classifi\$7 same (visual near2	US-PGPUB;	1 1002,00,10 19.25
		character\$7)	EPO; JPO;	
			DERWENT;	
	1		IBM TDB	1

1 6363380,pn, and (picture\$1 or inage\$1 or chart\$1 or figure\$1 or visual or frame\$1)						
- 4244 recognix\$5 with figure\$1	-	1	6363380.pn. and (picture\$1 or image\$1 or		2002/05/17	09:21
- 4244 recogniz\$5 with figure\$1			chart\$1 or figure\$1 or visual or frame\$1)			
- 4244 recogniz\$5 with figure\$1			·			
4244 recogniz\$5 with figure\$1						
US-PGPUB; EPC; JPO; DERMENT; IN TOB USPAT; US-PGPUB; EPC; JPO; JPO; J	_	1211	recognizes with figures1		2002/05/17	00.01
- 16 (recogniz\$5 with figure\$1)with classifi\$7		4244	lecognizas with lightesi		2002/05/17	09:21
- 16 (recogniz\$5 with figure\$1)with classifi\$7 IM TOB USPAT; US-FCPUB; EPC; JPO; DERWENT; IN TOB USPAT; US-FCPUB; EPC; JPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO						
TIM TOB						
16						
Sepach or audio) with text with convert\$3 with segment\$6 Convert\$3 with segment\$6 Convert\$3 with segment\$6 Convert\$3 with segment\$6 Convert\$3 with segment\$6 Convert\$3 with segment\$6 Convert\$3 with segment\$6 Convert\$3 with segment\$6 Convert\$3 with segment\$6 Convert\$3 with segment\$6 Convert\$3 with segment\$6 Convert\$3 with segment\$6 Convert\$3 with segment\$6 Convert\$3 with segment\$6 Convert\$3 with segment\$6 Convert\$3 with segment\$6 Convert\$3 with segment\$6 Convert\$4 Convert\$5 Convert\$5 Convert\$5 Convert\$6 Convert\$7 Conve	_	16	(recogniz\$5 with figure\$1) with classifi\$7		2002/05/17	09:22
Sepant S			(1200gm=1/2 mam ==ga10/1, mam damoda111/		2002,00,11	03.22
- 48 (speech or audio) with text with convert\$3 with segment\$6				1		
48						
### with segment\$6 10 ((speech or audio) with text with convert\$3 with segment\$6) and (recognir\$5 near2 (figure\$1 or draw\$3 or image\$1 or picture\$1 or visual)) 2002/05/17 09: 05RWENT; ISM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM TDB				IBM TDB		
10 ((speech or audio) with text with convert\$3 with segment\$6) and (recogniz\$5 near2 (figure\$1 or visual))	-	48	, (-p,		2002/05/17	09:54
- 10 ((speech or audio) with text with convert\$3 with segment\$6) and (recogniz\$5 near2 (figure\$1 or draw\$3 or image\$1 or picture\$1 or visual)) - 2757 707/3,4,6.ccls. - 5 707/3,4,6.ccls. and (segment\$5 same (keyframe\$1 or (key near2 frame\$1)) - 8 345/968,723.ccls. and (segment\$5 same (keyframe\$1 or (key near2 frame\$1)) - 9 345/968,723.ccls. and (retriev\$3 same (keyframe\$1 or (key near2 frame\$1))) - 9 345/968,723.ccls. and (retriev\$3 same (keyframe\$1 or (key near2 frame\$1))) - 9 345/968,723.ccls. and (retriev\$3 same (keyframe\$1 or (key near2 frame\$1))) - 10 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1))) - 2 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1))) - 2 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1))) - 2 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1))) - 2 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1)) usp87; uspecpub; epo; jPo; Derwent; lbm TDB usp87; uspecpub; epo; lbm usp87; uspecpub; e			with segment\$6			
10						
10 ((speech or audio) with text with converts) with segments() and (recogniz)5 near2 (figure\$1 or draw\$3 or image\$1 or picture\$1 or visual))						
convert\$3 with segment\$6 and (recogniz\$5 near2 (figure\$1 or draw\$3 or image\$1 or picture\$1 or visual)		!				
near2 (figure\$1 or draw\$3 or image\$1 or picture\$1 or visual))	-	10			2002/05/17	09:57
Picture\$1 or visual)						
IBM TDB						
2757 707/3,4,6.ccls. USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB (keyframe\$1 or (key near2 frame\$1)) US-PGPUB; EPO; JPO; DERWENT; IBM TDB (keyframe\$1 or (key near2 frame\$1)) US-PGPUB; EPO; JPO; DERWENT; IBM TDB (keyframe\$1 or (key near2 frame\$1)) US-PGPUB; EPO; JPO; DERWENT; IBM TDB (keyframe\$1 or (key near2 frame\$1)) US-PGPUB; EPO; JPO; DERWENT; IBM TDB (keyframe\$1 or (key near2 frame\$1)) US-PGPUB; EPO; JPO; DERWENT; IBM TDB (keyframe\$1) US-PGPUB; EPO; JPO; DERWENT; IBM TDB (SPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB (SPĀT; ISB-PGPUB; EPO; JPO; DERWENT; IBM TDB (SPĀT; ISB-PGPUB; EPO; JPO; DERWENT; IBM TDB (SPĀT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J			picturesi or visual))			
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; (keyframe\$1 or (key near2 frame\$1)) US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; (keyframe\$1 or (key near2 frame\$1)) US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; (keyframe\$1 or (key near2 frame\$1)) US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US		0757	707/2 4 6 2212		0000,405,415	11 00
EPO, JPO; DERWENT; IBM TDB USPAT; (keyframe\$1 or (key near2 frame\$1))	-	2/5/	/U//3,4,6.CC1S.		2002/05/17	11:02
DERMENT; IBM TDB USPĀT; (keyframe\$1 or (key near2 frame\$1)) - 8 345/968,723.ccls. and (segment\$5 same (keyframe\$1 or (key near2 frame\$1)) - 9 345/968,723.ccls. and (segment\$5 same (keyframe\$1 or (key near2 frame\$1)) - 9 345/968,723.ccls. and (retriev\$3 same (keyframe\$1 or (key near2 frame\$1)) - 9 345/968,723.ccls. and (retriev\$3 same (keyframe\$1 or (key near2 frame\$1)) - 2 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1)) with (scene\$1)) - 2 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 2 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 2 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 0 (relevance near2 rank\$1) with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6						
TBM TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPAT; USPAT; USPGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPAT						
- 5 707/3,4,6.ccls. and (segment\$5 same (keyframe\$1 or (key near2 frame\$1))						
(keyframe\$1 or (key near2 frame\$1))	_		707/3 4 6 ccls and (sogmonts5 samo		2002/05/17	11.00
EPO, JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IDM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IDM		7			2002/03/17	11:00
DERMENT; IBM_TDB USPAT; (keyframe\$1 or (key near2 frame\$1)) 9 345/968,723.ccls. and (retriev\$3 same (keyframe\$1 or (key near2 frame\$1)) (keyframe\$1 or (key near2 frame\$1)) 9 345/968,723.ccls. and (retriev\$3 same (keyframe\$1 or (key near2 frame\$1)) 1 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM			(keyllamed) of (key hearz framed)))	1		
Sads 345/968,723.ccls. and (segment\$5 same (keyframe\$1 or (key near2 frame\$1))						
S 345/968,723.ccls. and (segment\$5 same (keyframe\$1) or (key near2 frame\$1))						
(keyframe\$1 or (key near2 frame\$1))	_	8	345/968.723.ccls. and (segment\$5 same		2002/05/17	11.17
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM					2002/00/1/	
Second S			(,			
Second S			•		•	
(keyframe\$1 or (key near2 frame\$1))				IBM TDB		
- 2 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1)) with (scene\$1)) - 2 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 2 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 28 ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 28 ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 0 (relevance near2 rank\$1) with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6	-	9	345/968,723.ccls. and (retriev\$3 same	USPAT;	2002/05/17	11:18
DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO;			(keyframe\$1 or (key near2 frame\$1)))			
- 2 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1)) with (scene\$1)) - 2 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 2 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 28 ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 28 ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 0 (relevance near2 rank\$1) with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6						
2 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1)) with (scene\$1)) 2 6137544.pn. and ((keyframe\$1 or (key near2 pero; JPO; DERWENT; IBM_TDB pero; JPO; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT		,	•			
frame\$1) with (scene\$1) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USFAT; USFAT;		_				
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	-	2			2002/05/17	13:11
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; DERWENT; US-PGPUB; EPO; DERWENT; US-PGPUB; EPO; DERWENT; US-PGPUB			trame\$1)) with (scene\$1))			
- 2 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 28 ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 28 ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 0 (relevance near2 rank\$1) with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6			<u> </u>			
2 6137544.pn. and ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 28 ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 28 ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 0 (relevance near2 rank\$1) with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6						
frame\$1)) with (transform)) US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO;		_	6127544 pp and //houfmand1 /hourman		2002/05/12	12.15
- 28 ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 28 ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 0 (relevance near2 rank\$1) with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6	-	2			2002/05/17	13:13
- 28 ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - (transform)) - (relevance near2 rank\$1) with correlation with segment\$6 - (relevance with rank\$1 with correlation with segment\$6 - (relevance with rank\$1 with correlation with segment\$6 - (relevance with rank\$1 with correlation with segment\$6 - (relevance with rank\$1 with correlation with segment\$6 - (relevance with rank\$1 with correlation with segment\$6 - (relevance with rank\$1 with correlation with segment\$6			Liame(1) With (transform))			
- 28 ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - (transform)) - (relevance near2 rank\$1) with correlation with segment\$6 - (relevance with rank\$1 with correlation with segment\$6 - (relevance with rank\$1 with correlation with segment\$6 - (relevance with rank\$1 with correlation with segment\$6 - (relevance with rank\$1 with correlation with segment\$6 - (relevance with rank\$1 with correlation with segment\$6 - (relevance with rank\$1 with correlation with segment\$6 - (relevance with rank\$1 with correlation with segment\$6				F .		
- 28 ((keyframe\$1 or (key near2 frame\$1)) with (transform)) - 0 (relevance near2 rank\$1) with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6 - 0 relevance with rank\$1 with correlation with segment\$6				1		Ì
(transform)) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; With segment\$6 USPAT; US-PGPUB; EPO; JPO;	<u> </u>	20	(/keyframe\$1 or /key near? frame\$1)) with		2002/05/17	13.12
- 0 (relevance near2 rank\$1) with correlation (relevance near2 rank\$1) with correlation (sometimes of the correlation (sometim	_	20			2002/03/17	13.13
DERWENT; IBM_TDB USPAT; With segment\$6 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; EPO; JPO; With segment\$6 USPAT; US-PGPUB; EPO; JPO;			(Clansionm)			
- 0 (relevance near2 rank\$1) with correlation USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 0 relevance with rank\$1 with correlation WSPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO;			•	1		
- 0 (relevance near2 rank\$1) with correlation USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; with segment\$6 USPAT; US-PGPUB; EPO; JPO;				t .		
with segment\$6 With segment\$6 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; With segment\$6 US-PGPUB; EPO; JPO;	_	0	(relevance near2 rank\$1) with correlation		2002/05/17	15:29
EPO; JPO; DERWENT; IBM_TDB USPAT; With segment\$6 US-PGPUB; EPO; JPO;			1 '			
DERWENT; IBM_TDB USPAT; With segment\$6 US-PGPUB; EPO; JPO;						
- 0 relevance with rank\$1 with correlation USPAT; US-PGPUB; EPO; JPO;		1				
- 0 relevance with rank\$1 with correlation USPAT; US-PGPUB; EPO; JPO;	ļ					
with segment\$6 US-PGPUB; EPO; JPO;	_	0	relevance with rank\$1 with correlation		2002/05/17	16:15
EPO; JPO;			· ·			-
]	1		1		
				DERWENT;		
IBM TDB						

r	030	L		
-	278	relevance with rank\$3	USPAT; US-PGPUB;	2002/05/17 16:15
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	4	relevance with rank\$3 with segment\$6	USPAT;	2002/05/17 16:19
		(4)	US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
_	11	relevance with rank\$3 with sort\$3	IBM_TDB USPAT;	2002/05/17 16:23
			US-PGPUB;	2002/03/17 10.23
İ			EPO; JPO;	
	* .		DERWENT;	
			IBM_TDB	
-	79504	relevance with rank\$3 preference\$1	USPAT;	2002/05/17 16:24
			US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
_	2	relevance with rank\$3 with preference\$1	IBM_TDB USPAT;	2002/05/17 16:24
	_	refevance with fanky3 with preference31	US-PGPUB;	2002/05/17 16:24
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	6161107.pn. and (profile\$1 or	USPĀT;	2002/05/17 19:34
		preference\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	1	("6161107" or "6363380").pn. and	USPAT;	2002/05/17 21:41
	_	(display\$3 near10 (text\$4 or audio))	US-PGPUB;	2002/03/17 21.41
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	1
_	1		USPAT;	2002/05/17 19:36
		(display\$3 with (text\$4 or audio))	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	133	(display\$3 near10 (segment\$3 or frame\$1)	USPAT;	2002/05/17 21:51
	1	near10 (sequence or sequentially))same	US-PGPUB;	2002/03/1/ 21:31
		retriev\$3	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	55	(display\$3 near10 (segment\$3 or frame\$1)	USPAT;	2002/05/17 21:52
		near10 (sequence or sequentially))same retriev\$3 same video	US-PGPUB;	
		recrievas same video	EPO; JPO;	
			DERWENT; IBM TDB	
_	9	(display\$3 near10 (segment\$3 or frame\$1)	USPAT;	2002/05/17 21:55
		near10 (sequence or sequentially))same	US-PGPUB;	
		retriev\$3 same (pane\$1 or window\$1)	EPO; JPO;	
			DERWENT;	
		(1)	IBM_TDB	
_	1		USPAT;	2002/05/17 21:56
		frame\$1)) near10 (sequence or	US-PGPUB;	
		<pre>sequentially))same retriev\$3 same (pane\$1 or window\$1)</pre>	EPO; JPO;	
		OT MIHOMAT)	DERWENT;	
_	12	(display\$3 near10 (segment\$3 or (key near2	USPAT;	2002/05/17 21:57
		frame\$1)) near10 (sequence or	US-PGPUB;	
		sequentially))same retriev\$3	EPO; JPO;	
		· ·	DERWENT;	
			IBM_TDB	
_	14		USPAT;	2002/05/20 08:44
		near2 frame\$1) near10 (sequence or	US-PGPUB;	
		sequentially or cycl\$5))same (pane\$1 or	EPO; JPO;	
		window\$1))	DERWENT; IBM TDB	
L	l		T DIA T DR	L

	351876	[(diam) a.(2)	T	
-	3510/0	(display\$3 or render\$4) with (control\$4)	USPAT;	2002/05/20 10:43
			US-PGPUB;	
			EPO; JPO;	
ŀ	ŀ		DERWENT;	
	1054	431 3 40 40 40 40	IBM_TDB	
-	1054	(display\$3 near5 render\$4) with	USPAT;	2002/05/20 11:08
1		(control\$4)	US-PGPUB;	
ļ	•		EPO; JPO;	
	•		DERWENT;	
			IBM_TDB	
-	15	1	USPAT;	2002/05/20 10:57
		(control\$4 near2 mode\$1))	US-PGPUB;	
	•		EPO; JPO;	
			DERWENT;	
			IBM TDB	ĺ
-	23	(USPĀT;	2002/05/20 10:57
		(control\$4)) and 725/\$.ccls.	US-PGPUB;	
	ļ		EPO; JPO;	
1			DERWENT;	l
			IBM TDB	
-	477	(render\$4) with (control\$4 near2 mode\$1)	USPAT;	2002/05/20 11:11
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	-
-	. 1	((render\$4) with (control\$4 near2.mode\$1))	USPĀT;	2002/05/20 11:10
		and 725/\$.ccls.	US-PGPUB:	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	37	((render\$4) with (control\$4 near2 mode\$1))	USPAT;	2002/05/20 11:14
		same (frame\$1 or keyframe\$1)	US-PGPUB;	2002,03,20 11.14
		(EPO; JPO;	
			DERWENT;	İ
			IBM TDB	
_	12	("6182069" or "5752227" or "6222532" or	USPAT	2002/05/20 14:11
		"5635982" or "6295092" or "6119123" or	OSFAI	2002/03/20 14:11
		"5862259" or "5821945" or "6337683" or		
		"6161107" or "6137544" or "6363380").pn.		
		0101107 OI 0137344 OI 0303360).pn.	1	1